

**AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions and listings of claims in the application:

Claims 1-14 (Canceled)

15. (Withdrawn) A method of storing a material in a reusable container comprising:

placing said material into the reusable container and leaktightly

sealing the container;

sterilizing the container;

attaching the container to a base unit that holds two or more of the

reusable containers, wherein said reusable container

comprises a lid, and a chamber adapted for leaktight

coupling to the lid, and wherein the chamber comprises a

base unit attachment to attach the chamber to the base unit.

16. (Withdrawn) The method according to claim 15, comprising:

dispensing two or more of the reusable containers attached to said

base unit to a consumer of the material.

17. (Withdrawn) The method of claim 15, wherein said material comprises a contact lens.

18. (Withdrawn) The method of claim 15, wherein said material comprises a medication.

19. (Withdrawn) The method of claim 15 wherein the step of sterilizing of the container comprises steam sterilization, ethylene oxide sterilization, or irradiation sterilization.
20. (Withdrawn) The method of claim 15, comprising:
  - making the container tamper evident after the container is
  - leaktightly sealed.
21. A container comprising:
  - a lid;
  - a flexible member connected to said lid;
  - a chamber connected to said flexible member, said chamber
  - configured to form a leaktight coupling with said lid, wherein
  - at least one of said lid, said flexible member, and said
  - chamber has a plurality of strip lock tabs; and
  - a tear strip connected to at least one of said lid, said flexible
  - member, and said chamber, said tear strip having a plurality
  - of strip openings, said strip openings configured to mate with
  - said strip lock tabs.
22. The container of claim 21 wherein said chamber has at least one base unit attachment, said base unit attachment configured to permit connection of the container to a base unit.

- 23. The container of claim 22 wherein said at least one base unit attachment is an opening.
- 24. The container of claim 22 wherein said at least one base unit attachment is a threaded collar.
- 25. The container of claim 21 wherein at least one of said lid, said flexible member, and said chamber includes at least one of an anti-microbial additive and an anti-microbial agent.
- 26. The container of claim 21 wherein at least one of said lid, said flexible member, and said chamber is composed primarily of a plastic polypropylene.
- 27. The container of claim 21 including a seal connected to at least one of said lid and said chamber.
- 28. The container of claim 27 wherein said seal is integrally attached to said lid.
- 29. The container of claim 21 wherein at least one of said lid, said flexible member, and said chamber includes a lid lock member and at least

one other of said lid, said flexible member, and said chamber includes a lock tab configured to form a connection with said lid lock member.

30. The container of claim 21 wherein the chamber has at least one of a concave-shaped interior and a convex-shaped interior.

31. A container comprising:

a lid;

a flexible member connected to said lid;

a chamber connected to said flexible member, said chamber

configured to form a leaktight coupling with said lid; and

a tamper evident device connected to at least one of said lid and

said chamber, said tamper evident device configured to

provide a connection between said chamber and said lid of

sufficient strength to permit sterilization of said container

when said lid is coupled to said chamber.

32. The container of claim 31 wherein at least one of said lid, said flexible member, and said chamber has a plurality of strip lock tabs, and said tamper evident device is a tear strip connected to at least one of said lid, said flexible member, and said chamber, said tear strip having a plurality of strip openings configured to mate with said strip lock tabs.

33. The container of claim 31 wherein said chamber has at least one base unit attachment, said base unit attachment configured to permit connection of the container to a base unit.
34. The container of claim 31 including a seal connected to at least one of said lid and said chamber.
35. The container of claim 34 wherein said seal is integrally attached to said lid.
36. A contact lens dispensing pack comprising:  
a base unit; and  
a plurality of contact lens containers connected to said base unit, at least one of said plurality of contact lens containers having,  
a lid,  
a flexible member connected to said lid,  
a chamber connected to said flexible member, said chamber configured to form a leaktight coupling with said lid, wherein at least one of said lid, said flexible member, and said chamber has a plurality of strip lock tabs, and  
a tear strip connected to at least one of said lid, said flexible member, and said chamber, said tear

strip having a plurality of strip openings, said strip openings configured to mate with said strip lock tabs.

37. The contact lens dispensing pack of claim 36 wherein said base unit has a plurality of container attachment devices and at least one of said plurality of contact lens containers has a base unit attachment connected to at least one of said container attachment devices.
38. The contact lens dispensing pack of claim 37 wherein at least one of said container attachment devices is an anchor tab.
39. The contact lens dispensing pack of claim 37 wherein at least one of said container attachment devices is a threaded collar.
40. The contact lens dispensing pack of claim 36 wherein between 2 and 12 contact lens containers are connected to said base unit.